


WHEN IT'S YOUR TURN, TAKE YOUR VACCINE

All approved COVID-19 vaccines have been thoroughly tested, and all provide a high degree of protection against getting seriously ill and dying from the disease.



It is important to be vaccinated as soon as possible and not wait. This way, we build immunity in our communities faster and can get back to our normal lives.

DOING IT ALL, PROTECTS US ALL




Always remember to follow these 5 precautions, even after getting vaccinated.



World Health
Organization

GET VACCINATED EVEN IF YOU HAVE HAD COVID-19



This is because we don't know how long the immunity from getting the disease lasts.



Think of the vaccine as a booster to protect you longer.



DOING IT ALL, PROTECTS US ALL



Always remember to follow these 5 precautions, even after getting vaccinated.



**World Health
Organization**

TYPICAL SIDE EFFECTS OF THE COVID-19 VACCINE ARE:

- 1 Tiredness and headache
- 2 Fever
- 3 Chills
- 4 Pain or swelling at the injection site



In most cases, these are normal and last a short time.

Contact your care provider if the tenderness or pain where you got the shot increases after 24 hours, or the side effects do not go away after a few days.





Over-the-counter medicines may relieve some of these symptoms, but talk to your care provider first.

Patients with certain conditions like peptic ulcer or chronic renal disease may need to follow some precautions when taking these medications.

- Ibuprofen
- Aspirin
- Antihistamines

DOING IT ALL, PROTECTS US ALL



Always remember to follow these 5 precautions, even after getting vaccinated.



**World Health
Organization**